RAIMONDI

SINCE 1974 INNOVATIONS FOR THE TILE SETTING PROFESSIONAL

GROUTING TOOLS

GROUTING TOOLS

ANTIABRASION RUBBER GROUT FLOATS N2
FOAM RUBBER GROUT FLOATS N3
FOAM AND STIFF RUBBER GROUT RAKES / SQUEEGEE N4
FLOAT WITH SCRUB PAD / JOINT CLEANER N5
BROOMS N6

Our range of grouting tools offers a wide portfolio of solutions for the installation of both cement and epoxy based grouts. The 5 rubber grout floats models, character-ized by the innovative dual profile for optimal performance both with low and high density grout, are available in various sizes and consistencies. Furthermore, 2 models of foam rubber grout floats. Both lines include models with Interchangeable rubber. To complete the offer of grouting tools, the 7 grout-rakes/squeegees models: available with double foam rubber or single stiff rubber, in painted or stainless steel. Last but not least: float with Interchangeable scrub pads (available in 5 different levels of abrasiveness), tools to clean and smooth the joints and even brooms with angled handle for a more correct posture.

ANTIABRASION RUBBER GROUT FLOATS

MADE IN ITALY

136/12SG

136/24SG

136B12SG

136B24SG

13695X245SG

BOX

13695X245BSG

BOX

13695X245C

136GM02D

BOX

PACKAGE

CARTON BOX

DISPLAY BOX

ANTIABRASION RUBBER GROUT FLOATS

- For grouting of floors and walls.
- Injection rubber.
- Ergonomic handle, antiabrasion rubber.
- The dual profile rubber (18°o 42°) allows optimal performance both with low density and high density grout, with both narrow and large joints.

Part No.			Description	Interchangeable											
136/12SG	8024648058591	12	"Blue" soft rubber. Dual profile	-	-	115x250 mm	4 1/2"x10"	336 gr	11.8 oz	35x27xh31 cm	13 3/4"x10 5/8"xh 12 1/4"	4,4 Kg	9.7 lbs
136/24SG	8024648060198	24	"Blue" soft rubber. Dual profile	-	•	115x250 mm	4 1/2"x10"	336 gr	11.8 oz	39x35xh31 cm	15 3/8"x13 3/4"xh 12 1/4"	8,5 Kg	18.7 lbs
136B12SG	8024648060204	12	"Green" rigid rubber. Dual profile	-	-	115x250 mm	4 1/2"x10"	336 gr	11.8 oz	35x27xh31 cm	13 3/4"x10 5/8"xh 12 1/4"	4,4 Kg	9.7 lbs
136B24SG	8024648060211	24	"Green" rigid rubber. Dual profile	-	•	115x250 mm	4 1/2"x10"	336 gr	11.8 oz	39x35xh31 cm	15 3/8"x13 3/4"xh 12 1/4"	8,5 Kg	18.7 lbs
13695X245SG	8024648060228	24	"Blue" soft rubber. Dual profile	-	•	100x245 mm	4"x9 5/8"	306 gr	10.8 oz	39x35xh31 cm	15 3/8"x13 3/4"xh 12 1/4"	7,7 Kg	16.9 lbs
13695X245BSG	8024648060235	24	"Green" rigid rubber. Dual profile	-	•	100x245 mm	4"x9 5/8"	306 gr	10.8 oz	39x35xh31 cm	15 3/8"x13 3/4"xh 12 1/4"	7,7 Kg	16.9 lbs
13695X245C	8024648000484	24	"Azzurrina" soft rubber. Interchangeable	•	•	95x245 mm	3 3/4"x9 5/8"	330 gr	11.6 oz	39x35xh31 cm	15 3/8"x13 3/4"xh 12 1/4"	8,3 Kg	18.3 lbs

REPLACEMENT FOAM RUBBER

Part No.			Description								
136GM02D	8024648000545	10	Replacement rubber pad for 136 95X245C	95x245 mm	3 3/4"x9 5/8"	150 gr	5.3 oz	27x15xh 10 cm	10 5/8"x6"xh 4"	1,6 Kg	3.5 lbs



GROUTING TOOLS

MADE IN ITALY

136N

BOX



136RC03A

136NECO/20

BOX

147

PACKAGE

CARTON BOX

DISPLAY BOX

FOAM RUBBER GROUT FLOATS

- For grouting of floors and walls.
- Ergonomic handle, medium density foam rubber.
- Suitable for low density grouts and for joints up to 3 mm (1/8").
- For item136N: Quick Change interchangeable foam rubber.

Part No.			Description	Interchangeable									
136N	8024648000514	15	"Black" foam rubber "EASY-LOCK"	•	•	130x290 mm	5 1/8"x11 7/16"	300 gr	10.6 oz	39x35xh 31 cm	15 3/8"x13 3/4"xh 12 1/4"	4,9 Kg	10.8 lbs
136NECO/20	8024648014474	20	"Black" foam rubber	—	•	115x250 mm	4 1/2"x10"	200 gr	7 oz			4,4 Kg	9.7 lbs

REPLACEMENT FOAM RUBBER

Part No.			Description								
136RC03A	8024648087904	6	Replacement rubber for art. 136N "EASY-LOCK"	130x290 mm	5 1/8"x11 7/16"	180 gr	6.3 oz	31x10xh 14 cm	12 1/4"x4"xh 5 1/2"	1,2 Kg	2.6 lbs

GROUT FLOAT 28 cm

- For grouting of walls. Plastic handle, soft rubber blade.
- Suitable for low density grouts and for small grout joints.

Part No.			Description								
147	8024648000569	12	Rubber trowel with plastic handle	280 mm	11"	200 gr	7 oz	33x33xh 10 cm	13"x13"xh 4"	2,8 Kg	6.2 lbs

FOAM AND STIFF RUBBER GROUT RAKES / SQUEEGEE

MADE IN ITALY





PACKAGE

CARTON BOX

REPLACEABLE DOUBLE RUBBER RAKES

- Available in painted or stainless steel with special flexible design to improve shock resistance.
- Handle housing Ø 26 mm (10").
- The double foam rubber allows greater liquid gathering.
- Replaceable foam rubber.

Part No.										
140	8024648000422	12	75 cm	29 1/2"	600 gr	21.2 oz	80x33xh 21 cm	31 1/2"x13"xh 8 1/4"	8 Kg	17.6 lbs
139	8024648000408	15	50 cm	19 11/16"	500 gr	17.6 oz	58x30xh 25 cm	22 7/8"x11 3/4"xh 9 7/8"	7,9 Kg	17.4 lbs
139 40	8024648000415	15	40 cm	15 3/4"	400 gr	14.1 oz	58x30xh 25 cm	22 7/8"x11 3/4"xh 9 7/8"	6,4 Kg	14.1 lbs

STAINLESS STEEL REPLACEABLE DOUBLE RUBBER RAKES

Part No.										
140INOX	8024648000460	12	75 cm	29 1/2"	600 gr	21.2 oz	80x33xh 21 cm	31 1/2"x13"xh 8 1/4"	8 Kg	17.6 lbs
139INOX	8024648000453	15	50 cm	19 11/16"	500 gr	17.6 oz	58x30xh 25 cm	22 7/8"x11 3/4"xh 9 7/8"	7,9 Kg	17.4 lbs

STIFF RUBBER RAKES

- Made of painted steel with special flexible design to improve shock resistance.
- Handle housing Ø 26 mm (10").
- The stiff rubber makes them suitable for medium and high density grouts.

Part No.										
150 60	8024648000439	12	60 cm	23 5/8"	500 gr	17.6 oz	80x33xh 21 cm	31 1/2"x13"xh 8 1/4"	6.8 Kg	15 lbs
150	8024648000446	15	40 cm	15 3/4"	400 gr	14.1 oz	58x30 xh 25 cm	22 7/8"x11 3/4"xh 9 7/8"	6,4 Kg	14.1 lbs

ANODIZED ALUMINUM POLE

- Superior strength. Sectional version and multiple length solid versions are available.

Part No.			Description	Ø						
197	8024648000637	12	Without hole	27 mm 1 1/16"	133 cm	420 gr	14.8 oz	140x25xh 10 cm	55"x10"xh 4"	5,5 Kg	12.1 lbs
197SC	8024648014511	10	Sectional with hole		52"	530 gr	18.7 oz	71x23xh 15 cm	28"x9"xh 6"	5,8 Kg	12.7 lbs
197180CM	8024648000644	12	With hole		180 cm 70 7/8"	540 gr	18.3 oz	180x25xh 25 cm	70"x10"xh 10"	7,2 Kg	15.9 lbs



MADE IN ITALY

226

BOX

306IV01D



227M 227N 227V 227B

275

275RIC

227KIT3PZM 227KIT3PZN 227KIT3PZV 227KIT3PZB

PACKAGE

CARTON BOX DISPLAY BOX

FLOAT WITH ABRASIVE PADS

- Ergonomic handle.
- Pads are held in place with velcro.
- Pad depth 20 mm (3/4").
- Supplied with: 1 black pad + 1 white pad.

Part No.			Description									
226	8024648000583	12	"Finish" with 2 pads (black and white)	•	120x250 mm	4 3/4"x10"	300 gr	10.6 oz	39x35xh 31 cm	15 3/8"x13 3/4"xh 12 1/4"	4 Kg	8.8 lbs
306IV01D	8024648005304	12	"Finish" handle with velcro	-			180 gr	6.4 oz	40x40xh 15 cm	15"x15"xh 12 1/2"	2,6 Kg	5.7 lbs

PADS KIT

Part No.			Description							
NEW **227KIT3PZM**	8024648071910	12	3 pcs KIT – Brown pad (very high abrasiveness)	120x250xh 20 mm	4 3/4"x10"xh 3/4"	125 gr	4.4 oz	58x30xh 25 cm 23"x12"xh 10"	2 Kg	4.4 lbs
NEW **227KIT3PZN**	8024648071927	12	3 pcs KIT – Black pad (high abrasiveness)							
NEW **227KIT3PZV**	8050532028524	12	3 pcs KIT – Green pad (medium abrasiveness)							
NEW **227KIT3PZB**	8024648071903	12	3 pcs KIT – White pad (low abrasiveness)							

REPLACEMENT PADS

Part No.			Description							
227M	8024648059093	10	Brown pad (very high abrasiveness)	120x250xh 20 mm	4 3/4"x10"xh 3/4"	80 gr	2.8 oz	5x25xh 11 cm 10"x10"xh 4 3/8"	800 gr	28.2 oz
227N	8024648000590	10	Black pad (high abrasiveness)							
227V	8024648071385	10	Green pad (medium abrasiveness)			25 gr	0.9 oz		250 gr	8.8 oz
227B	8024648000606	10	White pad (low abrasiveness)							

GROUTSAW

- For joint cleaning, removal of old grout, loose grout, moldy or discoloured grout.
- Electro-welded wolfram carbide blades.
- The blades can be overlapped to accommodate larger joint sizes.
- Supplied with: 2 wolfram carbide blades.

Part No.			Description						
275	8024648007896	10	"Abrafughe" with 2 blades	80 gr	2.8 oz	27x15xh 10 cm	10 5/8"x6"xh 4"	500 gr	17.6 oz
275RIC	8024648007902	10	Wolfram carbide blade	5 gr	0.2 oz	–	–	50 gr	1.8 oz

MADE IN ITALY

348A

348B

BOX





197SC



197



197180CM

PACKAGE

DISPLAY BOX

BROOMS

- The broom head's angle is ergonomically correct to provide maximum cleaning with minimal fatigue. The aluminum pole Ø 27 mm (1 1/16") is flexible to provide a natural springing motion which reduces impact shock while improving efficiency.

Part No.			Description						
348A	8024648000613	12	"Battista" soft bristles (without handle)	400 gr	14.1 oz	39x35xh 31 cm	15 3/8"x13 3/4"xh 12 1/4"	5,2 Kg	11.5 lbs
348B	8024648000620	12	"Battista" stiff bristles (without handle)						

PACKAGE

CARTON BOX

ANODIZED ALUMINUM POLE

- Superior strength. Sectional version and multiple length solid versions are available.

Part No.			Description	Ø							
197	8024648000637	12	Without hole	27 mm 1 1/16"	133 cm		420 gr	14.8 oz	140x25xh 10 cm	55"x10"xh 4"	5,5 Kg	12.1 lbs
197SC	8024648014511	10	Sectional with hole		52"		530 gr	18.7 oz	71x23xh 15 cm	28"x9"xh 6"	5,8 Kg	12.7 lbs
197180CM	8024648000644	12	With hole		180 cm	70 7/8"	540 gr	18.3 oz	180x25xh 25 cm	70"x10"xh 10"	7,2 Kg	15.9 lbs

RAIMONDI
SINCE 1974 INNOVATIONS FOR THE TILE SETTING PROFESSIONAL

ADHESIVE TOOLS, TROWEL & SCRAPERS

THIN-SET ADHESIVE SPREADER
"COLOMBO" ADHESIVE SPREADER DEVICE ..... ○2

NOTCHED TROWELS
SLANT RIDGE NOTCHED TROWELS 28x13 cm AND 36x13 cm (11"x5 1/8" AND 14 3/16"x5 1/8") ..... ○3
RUBBER HANDLE NOTCHED TROWELS cm 36x13 (14 3/16"x5 1/8") ..... ○4
RUBBER HANDLE NOTCHED TROWELS 28x12 cm (11"x4 3/4") ○5
WOOD HANDLE NOTCHED TROWELS 28x12 cm (11"x4 3/4") ○6
NOTCHED TROWELS 48x13 cm (18 7/8"x5 1/8") ..... ○7
TRAPEZIAL NOTCHED TROWELS ..... ○8

OTHER TOOLS FOR ADHESIVE
THINSET SHOES FOR WALKING ON THINSET/ADHESIVE ..... ○9
PLATFORMS TO WALK OVER THE FLOOR WITHOUT MOVING THE TILES ..... ○9
"FIDO" ERGONOMIC SUPPORT ..... ○9

SCRAPERS AND FINISHING TROWELS
TROWELS AND SCRAPERS ..... ○10
SMOOTH STEEL TROWELS ..... ○11

MIXING PADDLES AND BUCKETS
MIXING PADDLES AND BUCKETS ..... ○12

Everything you need for installation with adhesive. 49 models of notched trowels available with 18 Notch Notch types of teeth, with rubber or wooden handle. In addition to that, "Colombo", the device to spread the adhesive, a special trowel designed for skirting as well as the platforms and shoes to walk on the floor with fresh adhesive. Furthermore we offer a wide range of smooth trowels, bricklayer trowels and spatulas as well as mixing paddles for drills. As regards to the mixing of adhesives, we refer to the previous section "mixers".

THIN-SET ADHESIVE SPREADER "COLOMBO"

MADE IN ITALY

397/66

397L36Q8/10

397L36Q6/12

397L36V8/11

397L36T9/15

TECHNICAL FEATURES

(NO) IRON AND SULPHUR FREE

PACKAGE

CARTON BOX

"COLOMBO"

- For tiles up to 66 cm (26") .
- Efficient and Easy-to-use.
- Saves the time for spreading the adhesive.
- The adhesive is spread in an upright position with a consistent and even depth.
- Since the "Colombo" is fully adjustable to the width of your tile, there is no possibility of extra adhesive "skinning over" and creating a potential bond break. Spread only what you need.
- Supplied with: two dual notch blades with 8x8 - 10x10 mm and 6x6 - 12x12 mm 8x8 - 10x10 mm e 6x6 - 12x12 mm (5/16"x5/16" - 13/32"x13/32" e 1/4"x1/4" - 15/32"x15/32").

Part No.			Description						
397/66	8024648015440	1	"Colombo" for tiles up to 66 cm	11,5 Kg	25.4 lbs	50x50xh 27 cm	20"x20"xh10 5/8"	14 Kg	30.9 lbs

DUAL NOTCH BLADES

- Interchangeable stainless steel blades with magnetic Quick Change.

Part No.			Notch type	Description	Notch size							
397L36Q8/10	8024648015495	1		Dual notch blades 8/10 mm	8x8 mm 10x10 mm	5/16"x5/16" 13/32"x13/32"	1,4 Kg	3 lbs	40x15xh 5cm	15"x6"xh 2"	3 Kg	6.6 lbs
397L36Q6/12	8024648015501	1		Dual notch blades 6/12 mm	6x6 mm 12x12 mm	1/4"x1/4" 15/32"x15/32"						
397L36V8/11	8024648015518	1		Dual notch blades V 8/11 mm	8 mm 11 mm	5/16" 7/16"						
397L36T9/15	8024648015525	1		Dual notch blades 9/15 mm	9 mm 15 mm	3/8" 9/16"						



SLANT RIDGE NOTCHED TROWELS 28x13 AND 36x13 cm (11"x5 1/8" AND 14 3/16"x5 1/8")

MADE IN E.U.

PATENTED

183HFV10

183HFV8

183HFV6

184HFV10G

184HFV08G

TECHNICAL FEATURES

(NO) IRON AND SULPHUR FREE

PACKAGE

CARTON BOX

SLANT RIDGE NOTCHED TROWELS

- The slanted and rounded notch provide the following advantages:

1. maximum coverage: when placing the tile on adhesive spread with a slanted ridge, the ridges overlap and collapse to provide superior adhesive coverage and consequenlty avoid any air pocket under the tile/slab;
2. no air pocket under the tile/slab means avoid water infiltration in case of outdoor floors or swimming pools. Also, in case of thin slabs (3-7 mm thickness), it avoids any breakages caused by concentrated loads;
3. the absence of air under the tile improves the transmission of heat in case of underfloor heating;
4. the rounded shape of the notch reduces the chance of the adhesive "binding" and ripping away the ridges while troweling. The adhesive does not bind in the rounded corners of this notch so the adhesive ridges stay intact.

- Rubber handle mounted on a die-cast aluminum core.
- Stainless steel, 100% rust-proof.

SLANT RIDGE NOTCHED 28x13 cm (11"X5 1/8")

Rust proof stainless steel 0.7 mm. Rubber handle mounted on a die-cast aluminum core.

Part No.			Notch type	Notch size									
183HFV10	8024648016737	6		10 mm	13/32"	28x13 cm	11"x5 1/8"	340 gr	12 oz	32x22xh 15 cm	12 1/2"x8 5/8"xh 6"	2,3 Kg	5.1 lbs
183HFV8	8024648016744	6		8 mm	5/16"								
183HFV6	8024648016751	6		6 mm	1/4"								

SLANT RIDGE NOTCHED 36X13 cm (14 3/16"X5 1/8")

- The 36x13 cm (14 3/16" x 5 1/8") size increases of 30% the coverage for each pass (compared to 28x12 cm - 11x4 3/4"); this makes this trowel perfect for larg format tiles.

Part No.			Notch type	Notch size									
184HFV10G	8050532005006	6		10 mm	13/32"	36x13 cm	14 3/16"x5 1/8"	340 gr	12 oz	38x30xh 12 cm	15"x12"x h 4 3/4"	3 Kg	6.6 lbs
184HFV08G	8050532004993	6		8 mm	5/16"								

ADHESIVE SPREADING WITH STANDARD NOTCHED TROWEL



ADHESIVE SPREADING WITH SLANT RIDGE NOTCHED TROWEL

RUBBER HANDLE NOTCHED TROWELS 36x13 cm (14 3/16”x5 1/8”)

MADE IN ITALY

184Q12G

184Q10G

184Q03G

184V06G

184V09G

184Q08G

184Q06G

184T15G

PACKAGE

CARTON BOX

RUBBER HANDLE NOTCHED TROWELS 36X13 CM (14 3/16”X5 1/8”)

- The 36x13 cm (14 3/16”x 5 1/8”) size increases of 30% the coverage for each pass (compared to 28x12 cm - 11”x 4 3/4” trowel).
- Perfect for large format tiles.
- Stamped in tempered steel 7/10.
- Handles are made of polished aluminum electro-welded to the blade.
- Rubber handgrips.
- Handgrip provided with anti-rotation device.
- Available in square and round notch as well as V shape.

Part No.			Notch type	Notch size									
184Q12G	8024648003911	6		12x12 mm	15/32”x15/32”	36x13 cm	11”x5 1/8”	340 gr	12 oz	38x30xh12 cm	15”x12”xh 4 3/4”	3 Kg	6.6 lbs
184Q10G	8024648003904	6		10x10 mm	13/32”x13/32”								
184Q03G	8024648003874	6		3x3 mm	1/8”x1/8”								
184Q06G	8050532001374	6		6x6 mm	1/4”x1/4”								
184Q08G	8024648086785	6		8x8 mm	5/16”x5/16”								
184V06G	8024648086716	6		8 mm	5/16”								
184V09G	8024648086723	6		11 mm	7/16”								
184T15G	8024648004208	6		15 mm	9/16”								



RUBBER HANDLE NOTCHED TROWELS 28x12 cm (11"x4 3/4")

MADE IN ITALY

183 Q12G

183 Q10G

183 Q8G

183 Q6G

183 Q3G

183 V9G

183 V6G

183 V2G

183 V1G

183 T15G

183 T9G

PACKAGE

CARTON BOX

RUBBER HANDLE NOTCHED TROWELS 28x12 cm (11"x4 3/4")

- Stamped in 22 guage tempered steel 6/10 (1/42") with anti-corrosion treatment.
- Handles are made of polished aluminum electro-welded to the blade with rubber handgrips fastened by a non-slip screw.
- Rubber handgrips.
- Handgrip provided with anti-rotation device.

Part No.			Notch type	Notch size									
183 Q12G	8024648010483	16		12x12 mm	15/32"x15/32"	28x12 cm	11"x4 3/4"	340 gr	12 oz	63x30xh 12 cm	24 7/8"x11 7/8"xh 4 3/4"	5,8 Kg	12.8 lbs
183 Q10G	8024648010490	16		10x10 mm	13/32"x13/32"								
183 Q8G	8024648010506	16		8x8 mm	5/16"x5/16"								
183 Q6G	8024648010520	16		6x6 mm	1/4"x1/4"								
183 Q3G	8024648078490	6		3x3 mm	1/8"x1/8"	28x12 cm	11"x4 3/4"	340 gr	12 oz	29x27xh 12 cm	11 3/8"x 10 5/8"xh 4 3/4"	2,2 Kg	4.8 lbs
183 V9G	8024648010551	16		11 mm	7/16"	28x12 cm	11"x4 3/4"	340 gr	12 oz	63x30xh 12 cm	24 7/8"x11 7/8"xh 4 3/4"	5,8 Kg	12.8 lbs
183 V6G	8024648007759	16		8 mm	5/16"								
NEW **183 V2G**	8050532027558	6		2 mm	5/64"	28x12 cm	11"x 4 3/4"	340 gr	12 oz	29x27xh 12 cm	11 3/8"x 10 5/8"xh 4 3/4"	2,2 Kg	4.8 lbs
NEW **183 V1G**	8050532027541	6		1 mm	1/32"								
183 T15G	8024648010537	6		15 mm	9/16"	28x12 cm	11"x4 3/4"	340 gr	12 oz	29x27xh 12 cm	11 3/8"x10 5/8"xh 4 3/4"	2,2 Kg	4.8 lbs
183 T9G	8024648010568	6		9 mm	3/8"								

WOOD HANDLE NOTCHED TROWELS 28x12 cm (11”x 4 3/4”)

MADE IN ITALY

183 12X12

183

183 8X8

183 6X6

183 3X3

183 V9

183 V6

183 V3

183 T15

183 T9



New ergonomic handle

PACKAGE

CARTON BOX

NOTCHED TROWELS 28 x 12 cm (11”x4 3/4”) WITH WOOD HANDLE

- Stamped in 22 guage tempered steel 6/10 (1/42”) with anti-corrosion treatment.
- New ergonomic handles are made of polished aluminum electro-welded to the blade with waxed wood handgrips fastened by a non-slip screw.

Part No.			Notch type	Notch size									
183 12X12	8024648000194	16		12x12 mm	15/32”x15/32”	28x12 cm	11”x4 3/4”	340 gr	12 oz	63x30xh 12 cm	24 7/8”x11 7/8”xh 4 3/4”	5,8 Kg	12.8 lbs
183	8024648000187	16		10x10 mm	13/32”x13/32”								
183 8X8	8024648000200	16		8x8 mm	5/16”x5/16”								
183 6X6	8024648000217	16		6x6 mm	1/4”x1/4”								
183 3X3	8024648010407	6		3x3 mm	1/8”x1/8”	28x12 cm	11”x4 3/4”	340 gr	12 oz	29x27xh 12 cm	11 3/8”x10 5/8”xh 4 3/4”	2,2 Kg	4.8 lbs
183 V9	8024648000231	16		11 mm	7/16”	28x12 cm	11”x4 3/4”	340 gr	12 oz	63x30xh 12 cm	24 7/8”x11 7/8”xh 4 3/4”	5,8 Kg	12.8 lbs
183 V6	8024648000224	16		8 mm	5/16”								
183 V3	8024648010544	6		3 mm	1/8”	28x12 cm	11”x4 3/4”	340 gr	12 oz	29x27xh 12 cm	11 3/8”x10 5/8”xh 4 3/4”	2,2 Kg	4.8 lbs
183 T15	8024648000248	6		15 mm	9/16”								
183 T9	8024648000255	6		9 mm	3/8”								

LEFT-HANDED WOOD HANDLE NOTCHED TROWELS 28x12 cm (11”x4 3/4”)

Part No.			Notch type	Notch size									
183 S	8024648010513	16		10x10 mm	13/32”x13/32”	28x12 cm	11”x4 3/4”	340 gr	12 oz	63x30xh 12 cm	24 7/8”x11 7/8”xh 4 3/4”	5,8 Kg	12.8 lbs
183 8X8S	8024648007742	16		8x8 mm	5/16”x5/16”								

MADE IN ITALY

182 12X12



182

182 8X8



182 6X6



182 V9



182 V6

182 T15



182T9

PACKAGE

CARTON BOX

NOTCHED TROWELS 48x13 cm (18 7/8”x5 1/8”)

- Stamped in 21 guage tempered steel 7/10 (1/36”) with anti-corrosion treatment.
- Handles are electro-welded to the blade.
- Handles are made of waxed wood handgrips.
- Bridge handle.

Part No.			Notch type	Notch size								
182 12X12	8024648006660	12		12x12 mm	15/32”x15/32”	48x13 cm	18 7/8”x5 1/8”	600 gr	21.2 oz	49x34xh 17 cm	19 1/4”x13 3/8”xh 6 5/8”	7,6 Kg	16.9 lbs
182	8024648000118	12		10x10 mm	13/32”x13/32”								
182 8X8	8024648000125	12		8x8 mm	5/16”x5/16”								
182 6X6	8024648000132	12		6x6 mm	1/4”x1/4”								
182 V9	8024648000156	12		11 mm	7/16”								
182 V6	8024648000149	12		8 mm	5/16”								
182 T15	8024648000163	4		15 mm	9/16”					50x25xh 10 cm	20”x10”xh 4”	2,7 Kg	6 lbs
182 T9	8024648006677	4		9 mm	3/8”								

TRAPEZIAL NOTCHED TROWELS

MADE IN ITALY

148Q10

148Q8

148Q6

148N5

148N3

409 10X10

PACKAGE

CARTON BOX

NOTCHED TROWELS 20 cm (7 7/8") WITH STEEL HANDLE

Part No.			Notch type	Notch size									
148 Q10	8024648014481	12		10x10 mm	13/32"x13/32"	20 cm	7 7/8"	100 gr	3.5 oz	22x15xh 13 cm	8 5/8"x5 7/8"xh 5 1/8"	1,3 Kg	2.9 lbs
148 Q8	8024648014498	12		8x8 mm	5/16"x5/16"								
148 Q6	8024648014504	12		6x6 mm	1/4"x1/4"								
148 N5	8024648007810	12		5 mm	3/16"								
148 N3	8024648007797	12		3,5 mm	9/64"								

"ZOCCOLINA" NOTCHED TROWELS FOR SKIRTING

• Notched spatula for skirting/chairrail tiles. The unique design of this "trowel" allow the user to easiely apply adhesive to these smaller, narrower tiles without waste or mess.

Part No.			Notch type	Notch size									
409 10X10	8024648004932	12		10x10 mm	13/32"x13/32"	13 cm	5 1/8"	150 gr	5.3 oz	27x15xh 10 cm	10 5/8"x6"xh 4"	1,9 Kg	4.1 lbs

MADE IN ITALY

137HUSKY



390

174

390BU

PACKAGE

CARTON BOX

THINSET SHOES (FOR WALKING ON THINSET / ADHESIVE)

- Steel bottom, toe-guard made of replaceable nylon.
- Tip guard designed for safety shoes.

Part No.		Description						
137HUSKY	8024648000057	4	Toothed shoes "Husky" (per pair)	1,7 Kg	3.7 lbs	35x27xh 31 cm	14"x10 5/8"xh 12"	7,2 Kg	15.9 lbs

- The platforms have ridges which extend into the joint and enable the user to walk over the floor without disturbing the tiles.
- "Isola": to walk on the floor during installation with adhesive - "+" layout.
- "Penisola": to walk on the floor during installation with adhesive - "T" layout.
- For joint larger then 2 mm (3/32").

PATENTED

Part No.			Description						
390	8024648000064	5	"Isola" To walk over the floor without moving the tiles (for "+" joints only)	1,45 Kg	3.2 lbs	33x33xh 10 cm	13"x13"xh 4"	7,7 Kg	17 lbs
390BU	8024648010667	5	"Penisola" To walk over the floor without moving the tiles (for "T" joints only)	0,75 Kg	1.7 lbs	33x33xh 10 cm	13"x13"xh 4"	4 Kg	8.8 lbs

"FIDO" ERGONOMIC SUPPORT

- Comfortable, stable and safe support during the operation of spreading adhesive, placing, adjusting, cleaning of tiles, etc.
- Thanks to the ergonomic design the weight of the body is distributed in an optimum manner relieving fatigue and increasing the working area range of the operator thus reducing installation time.
- Particularly useful for laying large format tiles.
- It comes with 4 white removable rubber feet (ant-slip and anti-stain): "FIDO" can be used (without feet) on adhesive already spread on the floor without disturbing the adhesive bed or (with feet) on installed tiles.
- Supplied in captivating packaging.

Part No.		Description						
174	8024648086648	2	"FIDO" ergonomic support	0,5 Kg	1.1 lbs	27x15xh10 cm	10 1/2"x6"xh 4"	1,2 Kg	2.6 lbs

TROWELS, BRICKLAYING TROWELS AND PROFESSIONAL SCRAPERS

MADE IN ITALY

341PQL

341PTN

342PQN

342MGT127

342PTN

342PAN

342PLG

342PFU

343SSL

PACKAGE

CARTON BOX

TROWELS

- Ergonomic design for a perfect and safe grip.
- Bi-material handle made in shock proof plastic and thermoplastic anti-slip rubber with finger guard. Additional anti-slip holes guarantee maximum grip.
- Sturdy and easy to clean thanks to the plastic injection system that makes the handle and the blade a single piece.
- Made in C55 first quality steel.
- Micro-fusion welding system guaranteed by every breakage and assures maximum strength, flexibility and reliability.
- Protected from rust by a special ecologic varnish.

Part No.			Description						
341PQL160	8024648065759	6	Square point.With anti-slip rubber handle and finger guard	160 mm	6 9/32"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,75 Kg	3.9 lbs
341PQL180	8024648066077	6	Square point.With anti-slip rubber handle and finger guard	180 mm	7"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,80 Kg	4 lbs
341PQL190	8024648066084	6	Square point.With anti-slip rubber handle and finger guard	190 mm	7 1/2"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,85 Kg	4.1 lbs
341PQL200	8024648066091	6	Square point.With anti-slip rubber handle and finger guard	200 mm	6 7/8"	42x16xh 17 cm	16 1/2"x6 1/4"xh 6 5/8"	1,90 Kg	4.2 lbs

Part No.			Description						
341PTN160	8024648065766	6	Round point.With anti-slip rubber handle and finger guard	160 mm	6 9/32"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,70 Kg	3.7 lbs
341PTN180	8024648066152	6	Round point.With anti-slip rubber handle and finger guard	180 mm	7"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,75 Kg	3.9 lbs
341PTN190	8024648066169	6	Round point.With anti-slip rubber handle and finger guard	190 mm	7 1/2"	40x15xh 16 cm	15 3/4"x6"xh 6 1/4"	1,80 Kg	4 lbs
341PTN200	8024648066176	6	Round point.With anti-slip rubber handle and finger guard	200 mm	6 7/8"	42x16xh 17 cm	16 1/2"x6 1/4"xh 6 5/8"	1,85 Kg	4.1 lbs

BRICKLAYING TROWELS

- Ergonomic design for a perfect and safe grip.
- Bi-material handle made in shock proof plastic and thermoplastic anti-slip rubber with finger guard. Additional anti-slip holes guarantee maximum grip.
- Sturdy and easy to clean thanks to the plastic injection system that makes the handle and the blade a single piece.
- Made in C55 first quality steel.
- Micro-fusion welding system guaranteed by every breakage and assures maximum strength, flexibility and reliability.
- Protected from rust by a special ecologic varnish.

Part No.			Description						
342PQN140	8024648066268	6	Square point.With anti-slip rubber handle and finger guard	140 mm	5 1/2"	31x11xh 14 cm	12 1/4"x4 3/8"xh 5 1/2"	1 Kg	2.2 lbs
342PTN140	8024648066275	6	Round point.With anti-slip rubber handle and finger guard	140 mm	5 1/2"	31x11xh 14 cm	12 1/4"x4 3/8"xh 5 1/2"	0,8 Kg	1.8 lbs
342PAN140	8024648066237	6	Pointed trowel. With anti-slip rubber handle and finger guard	140 mm	5 1/2"	31x11xh 14 cm	12 1/4"x4 3/8"xh 5 1/2"	0,7 Kg	1.6 lbs
342PLG140	8024648066251	6	Cat tongue shape.With anti-slip rubber handle and finger guard	140 mm	5 1/2"	31x11xh 14 cm	12 1/4"x4 3/8"xh 5 1/2"	0,7 Kg	1.6 lbs
342PFU140	8024648066244	6	Olive leaf shape.With anti-slip rubber handle and finger guard	140 mm	5 1/2"	31x11xh 14 cm	12 1/4"x4 3/8"xh 5 1/2"	0,65 Kg	1.4 lbs
342MGT127	8024648072535	6	Square point.With anti-slip rubber handle and finger guard	133 mm	5 1/4"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	0,9 Kg	2 lbs

PROFESSIONAL SCRAPERS

- Made in first quality steel.
- Handle made in beech selected wood.

Part No.			Description						
343SSL020	8024648066282	12	Handle made in beech selected wood	20 mm	6/8"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	0,7 Kg	1.5 lbs
343SSL040	8024648066305	12	Handle made in beech selected wood	40 mm	1 5/8"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	0,80 Kg	1.7 lbs
343SSL050	8024648066312	12	Handle made in beech selected wood	50 mm	2"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	0,90 Kg	2 lbs
343SSL060	8024648066329	12	Handle made in beech selected wood	60 mm	2 3/8"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	0,95 Kg	2.1 lbs
343SSL070	8024648066336	12	Handle made in beech selected wood	70 mm	2 3/4"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	1 Kg	2.2 lbs
343SSL080	8024648066343	12	Handle made in beech selected wood	80 mm	3 1/8"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	1,05 Kg	2.3 lbs
343SSL100	8024648066367	12	Handle made in beech selected wood	100 mm	4"	27x10xh 14 cm	10 5/8"x4"xh 5 1/2"	1,20 Kg	2.6 lbs

MADE IN ITALY



182L



183L

183LG

184LG

142INX28

142INX24

142INX20

UPGRADED

New ergonomic handle

PACKAGE

CARTON BOX

RECTANGULAR FINISHING TROWELS (STEEL)

- Stamped in 22 guage tempered steel 6/10 (1/42") with anti-corrosion treatment.
- Handles are made of polished aluminum electro-welded to the blade with waxed wood or rubber handgrips fastened by a non-slip screw.

Part No.			Tipo	Description								
182 L	8024648000170	12		Finishing trowels 7/10	48x13 cm	18 7/8"x5 1/8"	600 gr	21.1 oz	49x34xh17 cm	19 1/4"x13 3/8"xh 6 5/8"	7,6 Kg	16.7 lbs
183 L	8024648000262	16		Finishing trowels 6/10	28x12 cm	11"x4 3/4"	340 gr	12 oz	63x30xh12 cm	24 7/8"x11 7/8"xh 4 3/4"	5,8 Kg	12.8 lbs
183 LG	8024648007766	16		Finishing trowels 6/10								
184 LG	8024648003867	6		Finishing trowels 7/10	36x13 cm	14 3/16"x5 1/8"	460 gr	16.2 oz	38x30xh12 cm	15"x12"x h 4 3/4"	3 Kg	6.6 lbs

TRAPEZIAL FINISHING TROWELS (STAINLESS STEEL)

(NOX) IRON AND SULPHUR FREE

- Stamped in stainless steel AISI420- 6/10 22 guage (1/42").
- Handles are made of polished aluminum electro-welded to the blade with waxed wood handgrips fastened by a non-slip screw.

Part No.			Tipo	Description								
142 INX28	8024648007964	12		Finishing trowels 6/10	12x28 cm	4 3/4"x11"	350 gr	12.3 oz	55x30xh 11cm	21 5/8"x11 7/8"xh 4 3/8"	4,5 Kg	9.9 lbs
142 INX24	8024648007957	12		Finishing trowels 6/10	10x24 cm	3 15/16"x9 7/16"	280 gr	9.9 oz			3,7 Kg	8.2 lbs
142 INX20	8024648007940	20		Finishing trowels 6/10	8x20 cm	3 1/8"x7 7/8"	240 gr	8.5 oz			5,1 Kg	11.2 lbs

MIXING PADDLES AND BUCKETS

178D60 178389E 178 389L 178 389F 178 389G

289CMAN

289IPER

289CICO

289LT27

178D80 178S 178 178 389GSC

289LT27PA

PACKAGE

CARTON BOX

MIXING PADDLES FOR MIXING DRILLS

- Hexagonal calibrated arm 10 mm (3/8) with anti-corrosion treatment. Available in double spiral or 4 spoke shape, with screw or chuck fit.

Part No.			Description								
178 389E	8024648009814	1	4-spoke mixing paddle Ø 140 mm (5 3/4")	–	•	–	–	–	–	–	–
178 389L	8024648079541	1	Dual spiral mixing paddle Ø 160 mm (6 9/32")	–	•	–			–	–	–
178 389F	8024648017888	1	Dual spiral mixing paddle Ø 140 mm (5 3/4")	–	•	–			–	–	–
178 389G	8024648017895	1	Dual spiral mixing paddle Ø 120 mm (4 3/4")	–	•	–			–	–	–
178 389GSC	8050532000513	6	Dual spiral mixing paddle Ø 120 mm (4 3/4") dismountable	–	•	–	35x27xh 21 cm	14"x 10 5/8"xh 8 1/4"	7,4 Kg	16.3 lbs
178 S	8024648000392	10	Dual spiral mixing paddle Ø 90 mm (3 1/2")	–	–	•	61x34xh 20 cm	24"x13 3/8"xh 8"	5,3 Kg	11.7 lbs
178	8024648000385	16	4-spoke mixing paddle Ø 120 mm (4 3/4")	–	–	•			7,7 Kg	17 lbs
178D60	8024648056887	12	Dual spiral mixing paddle Ø 60 mm (2 3/8")	–	–	•	44x15xh 14 cm	17 1/8"x6"xh 5 1/2"	2,8 Kg	6.2 lbs
178D80	8024648058195	12	Dual spiral mixing paddle Ø 80 mm (3 1/8")	–	–	•	44x19xh 18 cm	17 1/8"x7 1/2"xh 7"	3,1 Kg	6.8 lbs

BUCKETS

- Made of sturdy shockproof plastic of 4 mm thickness.
- Resistant to temperatures down to -5 °C.
- The reinforced bottom and the reinforced edge make them also suitable for transporting construction waste.
- 27 liters version also available with steel half-ring for storage of tools frequently used (art. 289LT27PA). The steel half-ring can be easily removed to allow traditional use of it.

Part No.			Description							
289CMAN	8024648000996	1	Bucket with steel handle	45 lt	12 gal	2,7 Kg	5.9 lbs	–	–	–
289IPER	8024648000989	1	Bucket with handles	45 lt	12 gal	2,3 Kg	5 lbs		–	–
289LT27PA	8050532024915	5	Bucket with steel half-ring for storage of tools with handle	27 lt	7 gal	2,2 Kg	4.9 lbs	56x56x h58 cm | 22"x22"xh 23"	3 Kg	6.6 lbs
289CICO	8024648007605	1	Bucket with steel handle	27 lt	7 gal	1,8 Kg	4 lbs	–	–	–
289LT27	8024648006288	1	Bucket with handles	27 lt	7 gal	1,5 Kg	3.3 lbs		–	–