







- Stable and robust thanks to the steel structure, the proportions and dimensions of the legs and crossbars as well as the effective leg clamping system;
- Worktop dimensions: single table 180 x 90 cm (3'x6'); extendable up to 283x150 cm (8.9'x 9.3') with extensions (accessories);
- Combining together two BM180MkIII benches the resulting worktop dimension is 360x90 cm (11.8'x2.9'), ideal for any tile 300x100 cm (9.8'x3.2') or bigger.
- The leg closing system allows a very quick and easy closing of the legs;
- Being the anodized aluminum profiles (which make up the worktop) spaced and movable, it is possible to perform cuts with angle grinder and diamond blade without damaging them. Moreover,

the special tile-support-cylinders (available as an accessory) create a gap between the tile and the worktop allowing to perform cuts with angle grinders in every direction without damaging the bench.

- Height of the workbench from the ground adjustable from 80 to 86 cm thanks to the adjustable feet;
- Double ring-nut feet: by rotating the lower ring-nut you adjust the height (no tool needed), by tightening the upper ring-nut you lock the foot in the desired position;
- Maximum load capacity (single table): 150 Kg (331 lbs);
- Wide range of accessories available.

## **SPECIFICATIONS AND VERSIONS**






























### SPECIFICATIONS AND VERSIONS


| Part No.      |               |   | Description  |   | BM180<br>PLUS Mkill | 2       |          |                |                       | 2       |          |
|---------------|---------------|---|--|---|---------------------|---------|----------|----------------|-----------------------|---------|----------|
| 394CP270A     | 8050532005136 | 1 | Side extension complete w/6 aluminum profiles and folding legs to lengthen the bench of $103~\rm cm~(3.4')$ - tot. $283~\rm cm~(9.3')$ | • | _                   | 11,6 Kg | 25.6 lbs | 117x20x h20 cm | 46"x8"x h 8"          | 12,5 Kg | 27.5 lbs |
| 394CP270APLUS | 8050532000599 | 1 | Telescopic extension (100-150 cm/ $3.3^{\circ}4.9$ ) to lengthen the bench of 103 cm (3.4') - tot. 283 cm (9.3')                       | _ | •                   | 6,2 Kg  | 13.7 lbs | 140x14xh 8 cm  | 55 1/8"x 5 1/2" xh 3" | 7,2 Kg  | 15.9 lbs |
| 394EST 01A    | 8050532000124 | 1 | Telescopic extension to widen the bench up to 60cm - 23 5/8" (tot. width 150 cm - 4.9')  | • | _                   | 8,2 Kg  | 18.1 lbs | 190x Ø17 cm    | 46"x Ø 8"             | 10,2 Kg | 22.5 lbs |


## ACHIEVABLE WORKTOP DIMENSIONS WITH TWO BM180MKIII AND EXTENSIONS






ACHIEVABLE WORKTOP DIMENSIONS WITH ONE BM180 PLUSMKIII AND EXTENSIONS

























"TSE180" mounted on 1 "BM180 PLUS".




- The new lateral tilting extension supports the tile and facilitates splitting after scoring during the cutting process. It also prevents the cut portion from falling.
- The device allows the support of the tile both during and after the splitting phase.
- Splitting can be performed by one single operator.
- Extremely easy to be installed/removed either on a single or on multiple workbenches connected
- together
- Whenever not in use, it can be completely tilted down below the workbench.
- Legs are equipped with adjustable feet for a perfect alignment with the workbench.
- Anodized aluminum profiles with adjustable position to optimize the worktop
- Fully suitable with both BM180 and BM180PLUS workbenches.


# SPECIFICATIONS AND VERSIONS

| Part No.  |               |   | Description  |         |           | ‡              |                  |         | 2         |
|-----------|---------------|---|--|---------|-----------|----------------|------------------|---------|-----------|
| 394RB RAI | 8050532024038 | 1 | TSE180 — lateral tilting extension for BM180 benches | 18,8 Kg | 41.44 lbs | 186x27xh 18 cm | 73"x10 5/8"xh 7" | 21,5 Kg | 47.39 lbs |

### POSSIBLE COMBINATION WITH BM180 BENCHES
























#### KIT OF 20 TILE-SUPPORT CYLINDERS TO PERFORM CUT WITH ANGLE GRINDER ON BM180MKII AND BM180PLUS TABLES

- To perform with ease cuts with angle grinder (even I-shaped and/or squares holes) on tiles up to 160x320 cm (5.3'x11.9') in any direction.
- One kit consists of 20 polypropylene supports (h56 mm Ø 60 mm | h2.2" Ø 2.4") that once inserted along the aluminum profiles, supports the tile and creates a gap between it and the worktop. This allows to perform cuts with angle grinders in any direction without damaging the bench.
- The possibility to freely positioning the cylinders at any point on the worktop allows to choose their layout according to the tile dimension and the kind of cut to be done. Even in the most difficult situations and for the most complex cuts.
- Inserting and fixing is extremely easy and fast: just insert the screw underneath each cylinder into the dedicated slot of each aluminum profiles (which made up the worktop) and slide the supports
- in the desired position. Slightly rotate the cylinders to fix them.
- Its design and the premium quality polymer they are built with make the cylinders extremely sturdy. They are designed to support tiles of any weight and to last potentially forever.
- The supports are compatible with both BM180Mkll and BM180PLUS as well as previous versions if equipped with top-grooved aluminum profiles.
- The supports do not preclude the use of the wide range of accessories dedicated to BM180 tables nor the use of POWER-RAIZOR both in combination with water-cut kit (Art.433PWWA) and/or the dust suppression device for dry cut (Art.433PWZPA).

#### SPECIFICATIONS AND VERSIONS KIT TILE-SUPPORT CYLINDERS

| Part No. |                        |   | Description   | BM180 Mkill | BM180<br>PLUS Mkill | Use                     |                   | 1                                      | 3                 |
|----------|------------------------|---|---|-------------|---------------------|-------------------------|-------------------|--|-------------------|
| 394CC 01 | <b>A</b> 8050532004207 | 1 | Kit of 20 tile-support cylinders for BM180 <sup>MkIII</sup> and BM180 PLUS <sup>MkIII</sup> | •           | •                   | on profiles with groove | 0,9 Kg<br>1.9 lbs | 39x39xh 15 cm<br>15 3/4"x15 3/4"x h 6" | 1,2 Kg<br>2.8 lbs |

### SIDE PROFILES FOR SCORING AND CUT

- the short side of the tile (i.e.: cut 120 cm side of a 120x240 cm tile).
- Available in two lengths: 124 cm and 164 cm (4' and 5.4'). Therefore, suitable even for the laraest tiles.
- The side profile connects to the short side of the table offering a continuous support for score & cut We recommend the use of the 164 cm (5.4') version only with BM180 PLUS<sup>MUII</sup>.
  - Version 124 cm (4') fits on both BM180MkIII and BM180 PLUSMkIII.
  - Free to slide in and out when mounted so to not interfere with operator when doesn't need them.

## SPECIFICATIONS AND VERSIONS FOR SIDE PROFILES FOR SCORING AND CUT

| Part No.   |               |   | Description  | BM180 MkIII | BM180<br>PLUS <sup>MkIII</sup> | 1    | <u>~</u> |
|------------|---------------|---|--|-------------|--------------------------------|------|----------|
| 394IS 1200 | 8050532007024 | 1 | Side profiles for scoring and cut length 124 cm (4')   | •           | •                              | <br> |          |
| 394IS 1600 | 8050532007031 | 1 | Side profiles for scoring and cut length 164 cm (5.4') | _           | •                              | <br> |          |



















S12





# SPECIFICATIONS AND VERSIONS

| Part No.    |               |   | Description   | BM180 <sup>mkill</sup> | BM180<br>PLUS <sup>nkiii</sup> |        |          |               |                   |        |          |
|-------------|---------------|---|---|------------------------|--------------------------------|--------|----------|---------------|-------------------|--------|----------|
| 394BLOPIACP | 8024648096678 | 1 | Stand-alone tile holder (for 3 to 30 mm thicknesses) - pair | •                      | •                              | 0,9 Kg | 2 lbs    | 27x15xh 10 cm | 10 5/8"x 4" xh 6" | 1 Kg   | 2.2 lbs  |
| 394PM02ACP  | 8024648096722 | 1 | Strips support - pair                                       | •                      | •                              | 0,6 Kg | 1.3 lbs  | 27x15xh 10 cm | 10 5/8"x 4" xh 6" | 0,7 Kg | 1.5 lbs  |
| 394CR R     | 8050532000940 | 1 | Wheels for legs - pair                                      | •                      | •                              | 1,7 Kg | 3.7 lbs  | 27x15xh 10 cm | 10 5/8"x 4" xh 6" | 1,8 Kg | 4 lbs    |
| 394CA 01A   | 8050532002364 | 1 | Kit of 4 lateral steel hooks for hang up the cutting guides | •                      | •                              | 0,5 Kg | 1.1 lbs  | 37x17xh 8 cm  | 13"x 6 5/8" xh 3" | 2 Kg   | 4.4 lbs  |
| 394CB 01A   | 8050532002388 | 1 | Steel-made side tools box                                   | •                      | _                              | 4.9 Kg | 10.8 lbs | 58x28xh 23 cm | 23"x 11" xh 9"    | 5,4 Kg | 11.9 lbs |

























RAIMONDI